





ACPM

快速定位夾具(手動交換型)

ACPM QUICK POSITIONING FIXTURE (MANUAL EXCHANGE TYPE)


適配器連接底板
Adapter Plate

適配器 (手動型)
Adapter
(Manual Type)



ACPM快速定位夾具(手動交換型)

ACPM QUICK POSITIONING FIXTURE (MANUAL EXCHANGE TYPE)



特點 Feature

- 適配器連接底板(手動交換型)最大外徑有210mm與250mm，可依據客戶需求進行選購。
- 可依客戶使用需求，替換刀桿尺寸。
- 搭配適配器(手動型)，採手動拉刀結構，讓刀桿端面與適配器雙面拘束，有效提升精度。
- 具可校正X軸平行度之設計，以確保加工品質之精準度。
- 使用內六角扳手，即可進行拉刀與退刀。簡易安裝，縮短主軸校正時間，減少產線停機時間並提高生產率。
- The adapter plate (manual type) comes in 210mm and 250mm diameters, adapting to diverse machining needs.
- Universal tool holder compatibility—quickly swap any type of tool holder for different applications.
- Dual-face clamping with a manual pull stud mechanism enhances stability and precision.
- X-axis alignment adjustment ensures machining accuracy and superior results.
- Quick and easy tool changes with a hex key minimize downtime and maximize productivity.


規格 Spec.	D	H	鎖固扳手尺寸 Hex Key Size	鎖固扭力 (N.m) Tightening Torque	重量 (KGS) Weight
CC-ACPM-210-SET-HSK40-C-EX	210	99	P3	6	12.2
CC-ACPM-210-SET-HSK50-C-EX		66.5	P4	14	12.4
CC-ACPM-210-SET-HSK63-C-EX		114.4	P5	27	13.2
CC-ACPM-210-SET-HSK100-C-EX		119	P8	42~60	16.5
CC-ACPM-250-SET-HSK40-C-EX	250	99	P3	6	16.2
CC-ACPM-250-SET-HSK50-C-EX		66.5	P4	14	16.4
CC-ACPM-250-SET-HSK63-C-EX		114.4	P5	27	17.2
CC-ACPM-250-SET-HSK100-C-EX		119	P8	42~60	20.5

實際應用 Applications



HSK適配器-手動型

HSK ADAPTER - MANUAL TYPE






特點 Feature

- 可依客戶使用需求，替換刀桿尺寸。
- 採手動拉刀結構，讓刀桿端面與適配器雙面拘束，有效提升精度。
- 使用內六角扳手，即可進行拉刀與退刀。
- Universal tool holder compatibility—quickly swap any type of tool holder for different applications.
- Dual-face clamping with a manual pull stud mechanism between the tool holder and adapter enhances precision and stability.
- Quick and easy tool changes with a hex key minimize downtime and maximize productivity.

規格 Spec.	D	H	鎖固扳手尺寸 Hex Key Size	鎖固扭力 (N.m) Tightening Torque	重量 (KGS) Weight
CC-BA-HSK40-C-EX	129.8	96.9	P3	6	5.5
CC-BA-HSK50-C-EX		99.4	P4	14	5.6
CC-BA-HSK63-C-EX		107.3	P5	27	6.5
CC-BA-HSK100-C-EX		111.9	P8	42~60	9.5

ACPM適配器連接底板-手動交換型

ACPM ADAPTER PLATE-MANUAL EXCHANGE TYPE



特點 Feature

- 最大外徑有210mm與250mm，可依據客戶需求進行選購。
- 具可校正X軸平行度之設計，以確保加工品質之精準度。
- Available in 210mm and 250mm diameters.
- X-axis alignment adjustment ensures machining accuracy and superior results.

規格 Spec.	D	H	M	P.C.D	重量 (KGS) Weight
CC-ACPM-210	210	40	M10	143~188	7.25
CC-ACPM-250	250	40	M12	150~200	10.8



☎ 電話 TEL /
+886-4-26265252

📠 傳真 FAX /
+886-4-26267941

📍 地址 Address /
台灣台中市清水區五權路232號
No. 232, Wuquan Rd., Qingshui Dist., Taichung City 436, Taiwan

🌐 網址 Website /
www.chain-headway.com




公司官網(中文)



Website(EN)



LINE



WeChat



Facebook



YouTube